

## ITO and IMITO

### Conductive and Transparent Coating

Indium-Tin-Oxide (ITO) is a widely used material for thin film coatings with electrically conductive and optically transparent properties. The reflectance of light on interfaces or surfaces of an ITO layer may be reduced considerably by integrating it into an anti-reflective multilayer – a so called Index Matched ITO (IMITO). The Ocean Thin Films ITO coatings are very dense and free of pinholes.



### Benefits

- Electrically conductive and optically transparent coating
- High physical density of coating
- Low specific electrical resistance
- No pinholes
- High environmental and temperature stability
- ITO may be electrically contacted by Gold Solderable busbars

### Applications

- Electrical layer in LCD technology
- Counter Electrode on Lid Glass for LCOS micro-displays
- Electrode on Heater Windows
- Electro-Magnetic Shielding (EMS)

### Technical Data

#### Index Matching


Customized - depends on matching media

#### Environmental

Tested to MIL-C-14806



### LC Display (or LCOS Microdisplay)

ITO (red line) is counter electrode for applying a voltage across Liquid Crystalline (green area). Voltage impacts polarization of light and thus steers brightness of pixel.



### Heater Window

Electrical current across ITO layer (red line) heats the glass and prevents from condensing moisture on surface. Yellow lines are busbars for electrical contacting of ITO.



[oceanthinfilms.com](http://oceanthinfilms.com)

E: [info@oceanthinfilms.com](mailto:info@oceanthinfilms.com)

8060 Bryan Dairy Road  
Largo, FL 33777  
T: +1.727.545.0741

16080 Table Mountain Parkway  
Suite 100, Golden, CO 80403  
T: +1.303.273.2995